

DAFTAR PUSTAKA

- [1] Y. Nazarenko, D. Pal, and P. A. Ariya, "Air quality standards for the concentration of particulate matter 2.5, global descriptive analysis," *Bull. World Health Organ.*, vol. 99, no. 2, pp. 125–137, Feb. 2021, doi: 10.2471/BLT.19.245704.
- [2] Muhammad Thoifur Fajar, "Studi Perbandingan Kualitas Udara di Kota Indonesia Terdampak Infeksi Saluran Pernapasan Akut," *INSOLOGI J. Sains dan Teknol.*, vol. 3, no. 2, pp. 160–169, Apr. 2024, doi: 10.55123/insologi.v3i2.3288.
- [3] B. Hartono, L. Fitria, and S. A. F. B.M, "Tingkat Risiko Kesehatan Paparan PM 2.5 Pada Masyarakat Di Sekitar Jalan Raya Daan Mogot Jakarta Barat Tahun 2023," *J. Kesehat. Lingkung. Indones.*, vol. 24, no. 2, pp. 177–185, Jun. 2025, doi: 10.14710/jkli.71052.
- [4] I. M. Ihsan, R. Oktivia, R. Anjani, and N. F. Zahroh, "Health risk assessment of PM2.5 and PM10 in KST BJ Habibie, South Tangerang, Indonesia," in *IOP Conference Series: Earth and Environmental Science*, Institute of Physics, 2023. doi: 10.1088/1755-1315/1201/1/012033.
- [5] R. SiBarani Maria, H. Belgaman Aditya, I. Athoillah, and S. Wirahma, "Analisis Hubungan Parameter Cuaca Terhadap Konsentrasi Polutan (PM2.5 Dan CO) Di Wilayah Jakarta Selama Periode Work From Home (WFH) Maret 2020," 2021.
- [6] A. Kanezar, M. A. Sasmita, and A. H. Saputra, "Prediksi Particulate Matter (PM 2.5) di DKI Jakarta Menggunakan XGBoost," May 2023. [Online]. Available: <https://jurnal.stmkg.ac.id/index.php/jam>
- [7] L. Lin *et al.*, "Estimating PM2.5 Concentrations Using the Machine Learning RF-XGBoost Model in Guanzhong Urban Agglomeration, China," *Remote Sens.*, vol. 14, no. 20, 2022, doi: 10.3390/rs14205239.
- [8] X. Li, H. Huo, and Z. Liu, "Analysis and prediction of PM2.5 concentration based on LSTM-XGBoost-SVR model," Oct. 17, 2022. doi: 10.21203/rs.3.rs-2158285/v1.
- [9] S. Chimla, C. Chotamonsak, and T. Chaipimonplin, "Integration of WRF-Chem Model-Based, Satellite-Based, and Ground-Based Observation Data to Predict PM2.5 Concentration by Machine Learning Approach," *Atmosphere (Basel)*, vol. 16, no. 11, 2025, doi: 10.3390/atmos16111304.
- [10] S. Subudhi, A. K. Pati, S. Bose, S. Sahoo, A. Pattanaik, and B. M. Acharya, "Integrating Boosted learning with Differential Evolution (DE) Optimizer: A Prediction of Groundwater Quality Risk Assessment in Odisha," Feb. 2025, [Online]. Available: <http://arxiv.org/abs/2502.17929>
- [11] B. Liang, W. Qin, and Z. Liao, "A Differential Evolutionary-Based XGBoost for Solving Classification of Physical Fitness Test Data of College Students," *Mathematics*, vol. 13, no. 9, May 2025, doi: 10.3390/math13091405.
- [12] H. Ke, S. Gong, J. He, L. Zhang, and J. Mo, "A hybrid XGBoost-SMOTE model for optimization of operational air quality numerical model forecasts," *Front. Environ. Sci.*, vol. 10, Sep. 2022, doi: 10.3389/fenvs.2022.1007530.
- [13] Z. Song, C. Tang, J. Qian, B. Zhang, and Y. Todo, "Air Quality Estimation Using Dendritic Neural Regression with Scale-Free Network-Based Differential Evolution," 2021, doi: 10.3390/atmos.

- [14] M. Sakmar *et al.*, “Optimasi Hyperparameter Pada XGBoost Untuk Prediksi Kualitas Udara Di Kota Urban Indonesia,” vol. 6, no. 1, pp. 48–56, 2025, doi: 10.24176/detika.v6i1.159625.
- [15] M. R. Muhaimin, D. M. Karina, and A. B. Krisna, “Prediksi Kualitas Udara Malang Menggunakan Metode Gradient Boosting Regression,” *Digit. Transform. Technol.*, vol. 4, no. 2, pp. 937–942, Dec. 2024, doi: 10.47709/digitech.v4i2.5046.
- [16] M. Chen, C. Feng, and R. Cheng, “MetaDE: Evolving Differential Evolution by Differential Evolution,” Mar. 2025, doi: 10.1109/TEVC.2025.3541587.
- [17] P. Gupta *et al.*, “Detecting Thyroid Disease Using Optimized Machine Learning Model Based on Differential Evolution,” *Int. J. Comput. Intell. Syst.*, vol. 17, no. 1, Dec. 2024, doi: 10.1007/s44196-023-00388-2.
- [18] A. A. Heidari, M. Akhoondzadeh, and H. Chen, “A Wavelet PM2.5 Prediction System Using Optimized Kernel Extreme Learning with Boruta-XGBoost Feature Selection,” *Mathematics*, vol. 10, no. 19, Oct. 2022, doi: 10.3390/math10193566.
- [19] isnaeni Putri Kurnia, A. Febriani, and S. Rahayu, “Prediksi Kualitas Polusi Udara Particulate Matter 2.5 Dan 10 Di DKI Jakarta Menggunakan Metode ARIMA,” Jun. 2024.
- [20] A. F. B. Sajiwo, B. Rahmat, and A. Junaidi, “Klasifikasi Indeks Standar Pencemaran Udara (ISPU) Menggunakan Algoritma XGBOOST Dengan Teknik Imbalanced Data (SMOTE),” *J. Inform. dan Tek. Elektro Terap.*, vol. 12, no. 3, Aug. 2024, doi: 10.23960/jitet.v12i3.4699.
- [21] S. Siregar, N. Idiawati, P. Lestari, A. K. Berekute, W. C. Pan, and K. P. Yu, “Chemical Composition, Source Appointment and Health Risk of PM2.5 and PM2.5-10 during Forest and Peatland Fires in Riau, Indonesia,” *Aerosol Air Qual. Res.*, vol. 22, no. 9, 2022, doi: 10.4209/aaqr.220015.
- [22] R. Pangestika and I. R. Wilti, “Karakteristik Risiko Kesehatan Non-Karsinogenik Akibat Paparan PM 2, 5,” *Kesehat. Lingkungan. Indones.*, vol. 20, no. 1, pp. 7–14, 2021.
- [23] Wahyu, “Paparan particulate matter 2.5 (pm2.5) dan iklim mikro sebagai faktor risiko pada pneumonia balita di daerah perkotaan,” *Pendidik. Multidisiplin*, vol. 2, pp. 85–100, 2025.
- [24] I. Wellid *et al.*, “Evaluasi Polusi Udara PM2.5 dan PM10 di Kota Bandung serta Kaitannya dengan Infeksi Saluran Pernafasan Akut,” *J. Kesehat. Lingkungan. Indones.*, vol. 23, no. 2, pp. 128–136, 2024, doi: 10.14710/jkli.23.2.128-136.
- [25] H. Okamura, Y. Osada, S. Nishijima, and S. Eguchi, “Novel robust time series analysis for long-term and short-term prediction,” *Sci. Rep.*, vol. 11, no. 1, pp. 1–8, 2021, doi: 10.1038/s41598-021-91327-8.
- [26] R. P. Masini, M. C. Medeiros, and E. F. Mendes, “Machine learning advances for time series forecasting,” *J. Econ. Surv.*, vol. 37, no. 1, pp. 76–111, 2023, doi: 10.1111/joes.12429.
- [27] F. Petropoulos *et al.*, “Forecasting: theory and practice,” *Int. J. Forecast.*, vol. 38, no. 3, pp. 705–871, 2022, doi: 10.1016/j.ijforecast.2021.11.001.
- [28] H. Kurniawan, N. Nikentari, M. Pertiwi, D. Bonardo Muhammad Amin Nina Adriani, and R. Ali, “A Hybrid Framework for Imputing Time Series Air

- Pollutant Data in Tropical Climates Area,” vol. 197, 2025.
- [29] I. Permana and F. N. S. Salisah, “The Effect of Data Normalization on the Performance of the Classification Results of the Backpropagation Algorithm,” *Indones. J. Inform. Res. Softw. Eng.*, vol. 2, no. 1, pp. 67–72, 2022.
 - [30] P. P. Allorerung, A. Erna, M. Bagussahrir, and S. Alam, “Analisis Performa Normalisasi Data untuk Klasifikasi K-Nearest Neighbor pada Dataset Penyakit,” *JISKA (Jurnal Inform. Sunan Kalijaga)*, vol. 9, no. 3, pp. 178–191, 2024, doi: 10.14421/jiska.2024.9.3.178-191.
 - [31] P. Zhang, Y. Jia, and Y. Shang, “Research and application of XGBoost in imbalanced data,” *Int. J. Distrib. Sens. Networks*, vol. 18, no. 6, Jun. 2022, doi: 10.1177/15501329221106935.
 - [32] J. A. Oblitas Mantilla and E. J. Escobedo Cárdenas, “Prediction of PM2.5 and PM10 Concentrations Using XGBoost and LightGBM Algorithms: A Case Study in Lima, Peru,” *Interfases*, no. 020, pp. 183–206, 2024, doi: 10.26439/interfases2024.n020.7417.
 - [33] D. Chauhan, Shivani, D. Jung, and A. Yadav, “Advancements in multimodal differential evolution: a comprehensive review and future perspectives,” *Artif. Intell. Rev.*, vol. 58, no. 11, 2025, doi: 10.1007/s10462-025-11314-7.
 - [34] D. Vermetten, F. Caraffini, A. V. Kononova, and T. Back, “Modular differential evolution,” *GECCO 2023 - Proc. 2023 Genet. Evol. Comput. Conf.*, no. July 2023, pp. 864–872, 2023, doi: 10.1145/3583131.3590417.
 - [35] Y. Zhang, X. Shi, S. Zhang, and A. Abraham, “A XGBoost-based lane change prediction on time series data using feature engineering for Autopilot vehicles,” May 2022.
 - [36] S. Y. Nailendra, W. Witanti, and G. Abdillah, “Optimasi Prediksi Penjualan Retail Online Menggunakan LightGBM dan Hyperparameter Tuning,” pp. 1931–1942, 2025, doi: 10.33364/algorithm/v.22-2.2551.
 - [37] D. Chicco, M. J. Warrens, and G. Jurman, “The coefficient of determination R-squared is more informative than SMAPE , MAE , MAPE , MSE and RMSE in regression analysis evaluation,” pp. 1–24, 2021, doi: 10.7717/peerj-cs.623.
 - [38] A. Makhdoomi, M. Sarkhosh, and S. Ziaei, “PM2.5 concentration prediction using machine learning algorithms: an approach to virtual monitoring stations,” *Sci. Rep.*, vol. 15, no. 1, pp. 1–11, 2025, doi: 10.1038/s41598-025-92019-3.
 - [39] N. Ghatasheh, I. Altaharwa, and K. Aldebei, “Modeling the Telemarketing Process Using Genetic Algorithms and Extreme Boosting: Feature Selection and Cost-Sensitive Analytical Approach,” *IEEE Access*, vol. 11, pp. 67806–67824, 2023, doi: 10.1109/ACCESS.2023.3292840.