

DAFTAR PUSTAKA

- [1] A. Fawaid and M. A. Ridla, "Journal of Computer Science and Technology Rancang Bangun Sistem Monitoring Pengukur Cuaca Menggunakan Arduino Pada Stasiun Meteorologi Kelas III Banyuwangi," *J. Comput. Sci. Technol.*, vol. 2, no. 2, pp. 73–80, 2024, doi: <https://doi.org/10.59435/jocstec.v2i2.282>.
- [2] C. Eckert, K. I. Monteforte, D. P. Harrison, and B. P. Kelaher, "Exploring Meteorological Conditions and Microscale Temperature Inversions above the Great Barrier Reef through Drone-Based Measurements," *Drones*, vol. 7, no. 12, pp. 3–6, 2023, doi: [10.3390/drones7120695](https://doi.org/10.3390/drones7120695).
- [3] J. Ding *et al.*, "Temporal and Spatial Characteristics of Meteorological Elements in the Vertical Direction at Airports and Hourly Airport Visibility Prediction by Artificial Intelligence Methods," *Sustainability*, vol. 14, no. 19, pp. 2–3, 2022, doi: <https://doi.org/10.3390/su141912213>.
- [4] L. Zhang, Y. Ma, L. Lei, Y. Wang, and S. Jin, "Improving Atmospheric Temperature and Relative Humidity Profiles Retrieval Based on Ground-Based Multichannel Microwave Radiometer and Millimeter-Wave Cloud Radar," *Atmosphere (Basel)*, vol. 15, no. 9, pp. 2–3, 2024, doi: <https://doi.org/10.3390/atmos15091064>.
- [5] Y. Wei *et al.*, "Deviations of Boundary Layer Height and Meteorological Parameters Between Ground-Based Remote Sensing and ERA5 over the Complex Terrain of the Mongolian Plateau," *Remote Sens.*, vol. 17, no. 3, p. 393, Jan. 2025, doi: [10.3390/rs17030393](https://doi.org/10.3390/rs17030393).
- [6] I. Basha, N. D. Begum, L. Jaya, C. Manikanta, and C. Rambabu, "IoT-Based Weather and Environmental Monitoring System with Real-Time Cloud Visualization and GSM Alerts Using ESP32," *Int. Res. J. Eng. Technol.*, vol. 13, no. 03, pp. 1998–2007, 2026, [Online]. Available: <https://www.irjet.net/archives/V13/i3/IRJET-V13I03262.pdf>
- [7] M. Fahim, A. El Mhouthi, T. Boudaa, and A. Jakimi, "Modeling and implementation of a low-cost IoT-smart weather monitoring station and air quality assessment based on fuzzy inference model and MQTT protocol," *Model. Earth Syst. Environ.*, vol. 9, no. 4, pp. 4085–4102, 2023, doi: [10.1007/s40808-023-01701-w](https://doi.org/10.1007/s40808-023-01701-w).
- [8] A. Chodorek, R. R. Chodorek, and A. Yastrebov, "Weather sensing in an urban environment with the use of a uav and webtrc-based platform: A pilot study," *Sensors*, vol. 21, no. 21, pp. 1–20, 2021, doi: [10.3390/s21217113](https://doi.org/10.3390/s21217113).
- [9] M. Y. Muhaimin, "Rancang Bangun Pendeteksi Cuaca Menggunakan LoRa (Long Range) Berbasis Mikrokontroler ESP32," *J. Inform. dan Tek. Elektro Terap.*, vol. 13, no. 2, pp. 820–821, Apr. 2025, doi: [10.23960/jitet.v13i2.6335](https://doi.org/10.23960/jitet.v13i2.6335).

- [10] A. Ramadhani, Z. Alaudin, F. J. Aridha, A. Rusdinar, and A. Z. Fuadi, "Data Komunikasi Secara Real Time Menggunakan Lora Berbasis Internet of Things Untuk Pembuatan Weather Station Real Time Communication Data Using Lora Based Internet of Things for Weather Station," *J. Elektro Telekomun. Terap.*, vol. 8, no. 1, pp. 1007–1009, 2021, doi: 10.25124/jett.v8i1.4130.
- [11] D. Dasman, I. Ilhamda, R. Alpajri, A. Al, and A. Premadi, "Pengaruh Ketinggian Dan Kecepatan Drone Quadcopter Terhadap Akurasi Pengukuran Data Cuaca Berbasis Sensor Anemometer," *J. Teknol. dan Vokasi*, vol. 3, no. 2, pp. 136–140, 2025, doi: 10.21063/jtv.2025.3.2.136-140.
- [12] W. S. Ayu, R. R. Nanda, and M. Arman, "Rancang Bangun Sistem Monitoring Pencemaran Udara Berbasis Unmanned Aerial Vehicle (UAV) dengan Menggunakan Microcontroller ESP32," *Pros. Ind. Res. Work. Natl. Semin.*, vol. 15, no. 1, pp. 181–188, 2024, doi: 10.35313/irwns.v15i1.6240.
- [13] H. Madokoro *et al.*, "Development of Drone-Mounted Multiple Sensing System with Advanced Mobility for In Situ Atmospheric Measurement :," *Sensors*, vol. 21, no. 4881, pp. 1–31, 2021, doi: <https://doi.org/10.3390/s21144881>.
- [14] S. Kotthaus *et al.*, "Atmospheric boundary layer height from ground-based remote sensing: a review of capabilities and limitations," *Atmos. Meas. Tech.*, vol. 16, no. 2, pp. 433–479, Jan. 2023, doi: 10.5194/amt-16-433-2023.
- [15] S. B. Asri Ramadhani, E. A. Kuncoro, and N. Noverdita, "Development and Performance Evaluation of Arduino-Based Environmental Monitoring System Integrating BME280 Sensor and BN-220 GPS," *J. Teknotan*, vol. 19, no. 1, pp. 33–42, 2025, doi: 10.24198/jt.vol19n1.5.
- [16] N. Dajnowski, A. Guest, A. Bello Usman, A. Abba, and S. Rahman Sabuj, "A Low-cost IoT-based Meteorological System Using LoRaWAN and Embedded Technologies: Architecture and Future Trends," *Int. J. Comput. Vis. Signal Process.*, vol. 14, no. 1, pp. 68–77, 2024, [Online]. Available: <https://cennser.org/IJCVSP/finalPaper/140109.pdf>
- [17] S. Bahri and A. R. Arif, "Monitoring Cuaca Berbasis Raspberry dengan Menggunakan Modul Lora," *Resist. (Elektronika Kendali Telekomun. Tenaga List. Komputer)*, vol. 4, no. 1, pp. 11–16, May 2021, doi: 10.24853/resistor.4.1.11-16.
- [18] F. A. Purnomo, N. M. Yoeseph, A. Yulianto, Y. I. Royan, and M. A. Safi'ie, "Development of wind monitoring systems with LoRA technology," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 989, no. 1, pp. 1–5, Feb. 2022, doi: 10.1088/1755-1315/989/1/012011.
- [19] J. Tapparel and A. Burg, "Dataset and UAV Propagation Channel Modeling

for LoRa in the 860 MHz ISM Band,” 2025, [Online]. Available: <https://arxiv.org/pdf/2512.15268>

- [20] V.-D. Bui, V.-A. Bui, and Q.-T. To, “Applying Esp32 and Lora Ra-02 Module, Controlling and Monitoring Water Saving System in Agriculture,” *Int. J. Adv. Eng. Manag.*, vol. 6, no. 08, pp. 62–70, 2024, doi: 10.35629/5252-06086270.
- [21] O. H. Kombo, S. Kumaran, and A. Bovim, “Design and Application of a Low-Cost, Low- Power, LoRa-GSM, IoT Enabled System for Monitoring of Groundwater Resources with Energy Harvesting Integration,” *IEEE Access*, vol. 9, no. 3, pp. 128417–128433, 2021, doi: 10.1109/ACCESS.2021.3112519.
- [22] M. Jouhari, N. Saeed, M. S. Alouini, and E. M. Amhoud, “A Survey on Scalable LoRaWAN for Massive IoT: Recent Advances, Potentials, and Challenges,” *IEEE Commun. Surv. Tutorials*, vol. 25, no. 3, pp. 1841–1876, 2023, doi: 10.1109/COMST.2023.3274934.
- [23] T. Karachalios, P. Moschos, and T. Orphanoudakis, “Maritime Emission Monitoring: Development and Testing of a UAV-Based Real-Time Wind Sensing Mission Planner Module.,” *Sensors (Basel)*, vol. 24, no. 3, pp. 2–10, 2024, doi: 10.3390/s24030950.
- [24] G. M. Bianco, A. Mejia-Aguilar, and G. Marrocco, “Numerical and Experimental Characterization of LoRa-Based Helmet-to-Unmanned Aerial Vehicle Links on Flat Lands: A numerical-statistical approach to link modeling,” *IEEE Antennas Propag. Mag.*, vol. 65, no. 1, pp. 79–92, 2023, doi: 10.1109/MAP.2022.3176590.
- [25] M. Jouhari, K. Ibrahimi, J. Ben Othman, and E. M. Amhoud, “Deep Reinforcement Learning-Based Energy Efficiency Optimization for Flying LoRa Gateways,” in *ICC 2023 - IEEE International Conference on Communications*, IEEE, May 2023, pp. 6157–6162. doi: 10.1109/ICC45041.2023.10279198.
- [26] L. M. Pires and I. Veiga, “Design of a Low-Cost and Low-Power LoRa-Based IoT System for Rockfall and Landslide Monitoring,” *Designs*, vol. 9, no. 6, pp. 1–31, 2025, doi: 10.3390/designs9060144.
- [27] Muladi, H. Wijaya, S. D. Prasetyo, S. A. Hamzah, and A. K. Mahamad, “LoRa Mesh-Based IoT GPS Tracking System for Mountain Climbers,” *Int. J. Saf. Secur. Eng.*, vol. 14, no. 6, pp. 1751–1761, 2024, doi: 10.18280/ijssse.140610.
- [28] F. Firdaus and I. Ismail, “Komparasi Akurasi Global Posistion System (GPS) Receiver U-blox Neo-6M dan U-blox Neo-M8N pada Navigasi Quadcopter,” *Elektron J. Ilm.*, vol. 12, no. 1, pp. 12–15, 2020, doi: 10.30630/eji.12.1.137.

- [29] A. Linahtadiya, S. Casmika, H. Noviana, I. Fauziah, and K. Muhammad Fakhrol, "Evaluation of the GPS Neo Ublox M8N and Four- Sided Ultrasonic Sensor for Smart Navigation : A Case Study of a Miniature Unmanned Ground Vehicle," *J. Teknokes*, vol. 19, no. 1, pp. 14–22, 2026, doi: <https://doi.org/10.35882/teknokes.v19i1.137>.
- [30] O. Lewicka, M. Specht, and C. Specht, "Assessment of the Steering Precision of a UAV along the Flight Profiles Using a GNSS RTK Receiver," *Remote Sens.*, vol. 14, no. 23, pp. 1–16, 2022, doi: 10.3390/rs14236127.
- [31] H. Jun and H. Gang, "The 2n Geometric Space Model of the Earth's Atmosphere and the Periodic Table of Vertical Changes the Laws of Mathematical Geometry Distribution of Atmospheric Sphere," *Open Access J. Appl. Sci. Technol.*, vol. 2, no. 1, pp. 01–13, 2023, doi: 10.33140/oajast.02.01.02.
- [32] S. Kotthaus *et al.*, "Atmospheric boundary layer height from ground-based remote sensing: a review of capabilities and limitations," *Atmos. Meas. Tech.*, vol. 16, no. 2, pp. 433–479, 2023, doi: 10.5194/amt-16-433-2023.
- [33] Ogunbunmi Simeon *et al.*, "Internet of things weather monitoring system," *World J. Adv. Res. Rev.*, vol. 22, no. 2, pp. 2099–2110, May 2024, doi: 10.30574/wjarr.2024.22.2.1647.
- [34] A. B. Pulungan and D. S. Goci, "Penggunaan Sistem Data logger Dalam Pencatatan Data Parameter Panel Surya berbasis Mikrokontroler," *JTEV (Jurnal Tek. Elektro dan Vokasional)*, vol. 7, no. 2, pp. 337–346, 2021, doi: 10.24036/jtev.v7i2.115052.
- [35] A. B. Pulungan, L. Son, S. Syafii, S. Huda, and U. Ubaidillah, "Design and Implementation Data Logger with Integrated Circuit Multiplexer for Solar Panel Park," *TEM J.*, vol. 11, no. 1, pp. 427–433, 2022, doi: 10.18421/TEM111-54.
- [36] A. Wagya and Rahmat, "Prototipe Modul Praktik untuk Pengembangan Aplikasi Internet of Things (IoT) Menggunakan ESP32," *J. Ilm. Setrum Artic. Press*, vol. 8, no. 2, pp. 238–247, 2019, doi: <http://dx.doi.org/10.36055/setrum.v8i2.6561>.
- [37] M. Nuriyadi, "Pengembangan Mikrokontroler ESP 32 Sebagai Alat Akusisi Data Untuk Monitoring Kinerja Sistem Refrigerasi Dan Tata Udara," *Indones. J. Lab.*, vol. 8, no. 2, pp. 37–42, 2025, [Online]. Available: <https://journal.ugm.ac.id/ijl/article/view/99889/42664>
- [38] H. Ye, K. Dong, and T. Gu, "HiMeter: Telling you the height rather than the altitude," *Sensors (Switzerland)*, vol. 18, no. 6, pp. 1–20, 2018, doi: 10.3390/s18061712.
- [39] L. M. Laurent and R. Pramudita, "Penerapan Internet of Things berbasis GPS

- untuk Optimalisasi Respons Keamanan Jalan Tol,” *TeknoIS J. Ilm. Teknol. Inf. dan Sains*, vol. 15, no. 2, pp. 192–204, Jul. 2025, doi: 10.36350/jbs.v15i2.312.
- [40] R. Firdaus and D. A. Jatmiko, “Implementasi dan Pengujian Sensor GPS Ublox M8N Pada Sistem Navigasi Hexacopter,” *Telekontran*, vol. 8, no. 1, pp. 30–41, 2020, doi: 10.34010/telekontran.v8i1.3069.
- [41] I. Mahfudi *et al.*, “Analisis dan Optimasi Kinerja Transmisi LoRa SX1278 Ra-02 untuk Sistem Monitoring Kualitas Air Berbasis Internet of Things,” *J. Ris. Sains dan Teknol.*, vol. 10, no. 1, pp. 29–37, 2026, doi: 10.30595/jrst.v10i1.28610.
- [42] E. U. K. Saihu, A. Purba, and M. Sarkowi, “Pemanfaatan Teknologi drone Guna Pemetaan Kesesuaian Ruang Untuk Perencanaan Lingkungan Perumahan di Perkotaan,” *Semin. Nas. Ins. Prof.*, vol. 3, no. 2, pp. 13–15, Oct. 2023, doi: 10.23960/snip.v3i2.500.
- [43] S. P. Arteaga, L. A. M. Hernandez, G. S. Perez, A. L. S. Orozco, and L. J. G. Villalba, “Analysis of the GPS spoofing vulnerability in the drone 3DR solo,” *IEEE Access*, vol. 7, pp. 51782–51789, 2019, doi: 10.1109/ACCESS.2019.2911526.
- [44] L. Pamungkas, P. Rahardjo, and I. G. A. P. Raka Agung, “Rancang Bangun Sistem Monitoring Pada Hidroponik Nft (Nurtient Film Tehenique) Berbasis Iot,” *J. SPEKTRUM*, vol. 8, no. 2, pp. 9–15, 2021, doi: 10.24843/spektrum.2021.v08.i02.p2.
- [45] P. Rahardjo, “Sistem Penyiraman Otomatis Menggunakan Rtc (Real Time Clock) Berbasis Mikrokontroler Arduino Mega 2560 Pada Tanaman Mangga Harum Manis Buleleng Bali,” *J. SPEKTRUM*, vol. 8, no. 1, pp. 143–147, 2021, doi: 10.24843/spektrum.2021.v08.i01.p16.
- [46] C. Pradhana and M. Sulaiman, “Simulasi Komunikasi Serial Dengan Protokol I2C Menggunakan Arduino IDE dan Proteus 8,” *SinarFe7*, vol. 3, no. 1, pp. 1–6, 2020, [Online]. Available: <https://journal.fortei7.org/index.php/sinarFe7/article/view/378/331>
- [47] A. Vonie Rachmawati, Dzulkiflih, and M. Yantidewi, “BME280 Sensor Calibration Analysis with Linear Regression Approach for Temperature, Relative Humidity and Dew Point Measurements,” *J. Kolaboratif Sains*, vol. 7, no. 5, pp. 1589–1597, 2024, doi: 10.56338/jks.v7i5.5272.
- [48] D. I. Mulyana and Marjuki, “Optimasi Prediksi Harga Udang Vaname Dengan Metode Rmse Dan Mae Dalam Algoritma Regresi Linier,” *J. Ilm. Betrik*, vol. 13, no. 1, pp. 50–58, 2022, doi: 10.36050/betrik.v13i1.439.
- [49] S. Febriani, “Analisis Deskriptif Standar Deviasi,” *J. Pendidik. Tambusai*, vol. 6, no. 1, pp. 910–913, 2022, [Online]. Available:

<https://jptam.org/index.php/jptam/article/view/8194>

- [50] S. M. Robeson and C. J. Willmott, "Decomposition of the mean absolute error (MAE) into systematic and unsystematic components," *PLoS One*, vol. 18, no. 2 February, pp. 1–8, 2023, doi: 10.1371/journal.pone.0279774.
- [51] V. A. Dambal, S. Mohadikar, A. Kumbhar, and I. Guvenc, "Improving LoRa Signal Coverage in Urban and Sub-Urban Environments with UAVs," *2019 Int. Work. Antenna Technol. iWAT 2019*, pp. 210–213, 2019, doi: 10.1109/IWAT.2019.8730598.
- [52] D. A. Feryando, M. D. Puspitasari, F. Winjaya, A. P. E. Wibowo, and K. Sulistiyanto, "Uji Komparatif Lora 433 MHz dan 915 MHz Sebagai Media Pengirim Data Pemantauan Box ZP," *J. Perkeretaapi. Indones. (Indonesian Railw. Journal)*, vol. 9, no. 1, pp. 57–66, 2025, doi: 10.37367/jpi.v9i1.413.
- [53] M. Yassir *et al.*, "Performance Analysis of LoRaWAN Communication Utilizing the RFM96 Module," *Ilk. J. Ilm.*, vol. 16, no. 3, pp. 255–270, 2024, doi: 10.33096/ilkom.v16i3.2326.255-270.
- [54] Lisnawati, E. E. S. Makmur, and D. S. Permana, "Profil lapse rate vertikal di wilayah indonesia," *J. Meteorol. dan Geofis.*, vol. 18, no. 2, pp. 95–106, 2017, [Online]. Available: <https://jurnal.bmkg.go.id/index.php/jmg/article/view/341>
- [55] I. P. Sari, A. A. N. Gunawan, I. M. S. Wibawa, I. K. Putra, and M. Yusuf, "Design and Manufacture of Radiosonde Based on Arduino Pro Mini Using BME280 Sensor," *J. Eng. Res. Reports*, vol. 23, no. 12, pp. 1–9, Nov. 2022, doi: 10.9734/jerr/2022/v23i12758.
- [56] P. Dani Prasetyo Adi and A. Kitagawa, "A performance of radio frequency and signal strength of LoRa with BME280 sensor," *TELKOMNIKA (Telecommunication Comput. Electron. Control.)*, vol. 18, no. 2, p. 649, Apr. 2020, doi: 10.12928/telkomnika.v18i2.14843.