

DAFTAR PUSTAKA

- [1] D. Sofarini *et al.*, “Dinamika Pasang Surut dan Kualitas Perairan Sungai Tabanio Kabupaten Tanah Laut Kalimantan Selatan,” *J. Sci. Technol.*, vol. 17, no. 3, pp. 449–462, 2024, doi: <https://doi.org/10.21107/rekayasa.v17i3.28171>.
- [2] L. P. Hapsari, A. A. Djari, and T. Al Ghifara, “Pemodelan Hidrodinamika Pola Arus dan Pasang Surut di Perairan Pulau Tidung,” *Maspari J.*, vol. 14, no. 2, pp. 79–89, 2022, doi: <https://doi.org/10.56064/maspari.v14i2.29>.
- [3] R. R. Maulana, B. Rochaddi, and Y. J. Wijaya, “Analisis Prediksi Kenaikan Permukaan Laut Menggunakan Data Satelit Altimetri dengan LSTM di Perairan Jepara dan Sekitarnya,” *Bul. Oseanografi Mar.*, vol. 14, no. 2, pp. 322–334, 2025, doi: [10.14710/buloma.v14i2.67069](https://doi.org/10.14710/buloma.v14i2.67069).
- [4] M. Srinivasan and V. Tsontos, “Satellite Altimetry for Ocean and Coastal Applications : A Review,” *Remote Sens.*, vol. 15, no. 16, pp. 1–19, 2023, doi: <https://doi.org/10.3390/rs15163939>.
- [5] M. Faridatunnisa, L. S. Heliani, D. Lestari, and M. Faridatunnisa, “Utilization of Tide Observation and Satellite Altimetry Data for Detecting Land Vertical Movement,” *J. Geospasial Inf. Sci. Eng.*, vol. 1, no. 2, pp. 104–112, 2019, doi: <https://doi.org/10.22146/jgise.41411>.
- [6] S. A. Brillianto, A. P. Wiryawan, and J. Rechar, “Perbandingan Koreksi Pasang Surut Terhadap Chart Datum menggunakan GNSS Tide dan Tide Gauge (Studi Kasus Perairan Ancol Teluk Jakarta),” *J. Hidropilar*, vol. 8, no. 2, pp. 123–134, 2023, doi: <https://doi.org/10.37875/hidropilar.v8i2.255>.
- [7] M. H. S. Alajuri, H. A. Kusuma, Bavitra, and B. I. Harahap, “Pengembangan Alat Pengukur Pasang Surut Berbasis IoT dengan Sensor Ultrasonik,” *Jambura J. Electr. Electron. Eng.*, vol. 7, no. 2, pp. 243–252, 2025, doi: <https://doi.org/10.37905/jjee.v7i2.29143>.
- [8] M. Hidayatullah, “Alat Pengukur Ketinggian Gelombang Air Laut dengan Sensor Ultrasonik dan Sistem Internet of Things (IoT),” Universitas Sultan Ageng Tirtayasa, 2024.
- [9] M. F. Yunus and Harmadi, “Rancang Bangun Alat Ukur Tekanan Hidrostatik dan Kedalaman Perairan Berbasis Sensor Serat Optik,” *J. Fis. Unand*, vol. 13, no. 5, pp. 718–724, 2024, doi: <https://doi.org/10.25077/jfu.13.5.718-724.2024>.
- [10] F. Egistian, “Rancang Bangun Pasang Surut Air Laut secara Real Time Berbasis Sensor Tekanan dan GSM SIM900A,” Universitas Maritim Raja Ali Haji, 2021.

- [11] H. A. Kusuma, F. Egistian, and A. K. A. Cintra, "Tidal Analysis and Implementasion of an Internet of Things (IoT) Sea Level Monitoring Device in Coastal Region," *J. Kelaut. Trop.*, vol. 27, no. 1, pp. 93–102, 2024, doi: <https://doi.org/10.14710/jkt.v27i1.21983>.
- [12] H. A. Kusuma, M. A. Akbar, T. Suhendra, A. Zuchriadi, and A. K. A. Cintra, "IoT Sea Level Monitoring Development and Field Testing Study," *J. ELECTRON*, vol. 4, no. 2, pp. 70–77, 2023, doi: <https://doi.org/10.33019/electron.v4i2.50>.
- [13] TE Connectivity, "MS5837-30BA," 2019. [Online]. Available: <https://share.google/P9pcuaqVR13jIJcbc>
- [14] TE Connectivity, "MS5803-14BA," 2015. [Online]. Available: <https://share.google/nDhjiDTADRoMWGIx6>
- [15] S. Li, Q. Duan, and X. C. C. Yang, "Fluviograph Design Based on an Ultra-Small Pressure Sensor," *Sensors*, vol. 19, no. 21, pp. 1–13, 2019, doi: <https://doi.org/10.3390/s19214615>.
- [16] N. A. Lestari and I. Jaya, "Rancang Bangun dan Uji Kinerja Instrumen Pendeteksi Gelombang Permukaan Laut Berbasis Sensor Tekanan," *J. Inform. dan Tek. Elektro Terap.*, vol. 13, no. 3, pp. 1434–1443, 2025, doi: <http://dx.doi.org/10.23960/jitet.v13i3S1.7876>.
- [17] E. Indriawan, "Pengembangan Data Logger Suhu Bawah Laut untuk Pemantauan Perairan Terumbu Karang di Teluk Sebong," Universitas Maritim Raja Ali Haji, 2022.
- [18] A. S. Mumin and A. H. Awami, "A Low-Cost Magnetic Field Strength Monitoring System Based on Arduino and Magnetic Sensor," *Int. J. Electr. Eng. Sustain.*, vol. 3, no. 2, pp. 58–64, 2025, [Online]. Available: <https://ijees.org/index.php/ijees/article/view/123>
- [19] M. N. Fajrina, I. Santoso, and T. Prakoso, "Perancangan Komunikasi Inter Cluster antara Cluster Head dengan Gateway (Node Sink) menggunakan Perutean Leach," *Transient*, vol. 10, no. 4, pp. 718–724, 2021, doi: <https://doi.org/10.14710/TRANSIENT.V10I4.718-724>.
- [20] Awan, Hendra, Wilianto, Yudi, and Waisen, "Perancangan dan Analisis Saklar Elektronik Digital Berbasis Arduino dan Transistor untuk Penggunaan Efisiensi Energi," *J. Minfo Polgan*, vol. 14, no. 2, pp. 3268–3275, 2025, doi: <https://doi.org/10.33395/jmp.v14i2.15719>.
- [21] R. D. Agustin, I. Sucahyo, and M. Yantidewi, "Rancang Bangun Alat Monitoring Pasang Surut Air Laut Berbasis IoT dengan NodeMCU ESP8266 dan HC-SR04," *JiIF (Jurnal Ilmu dan Inov. Fis.)*, vol. 06, no. 02, pp. 147–157, 2022, doi: <https://doi.org/10.24198/jiif.v6i2.40345>.

- [22] A. A. Zahro and N. Z. W, “Analisis Tipe Pasang Surut untuk Penentuan Elevasi Muka Air Laut di Perairan Semarang menggunakan Metode Admiralty,” *J. Hidrogr. Indones.*, vol. 06, no. 1, pp. 7–14, 2024, doi: <https://doi.org/10.62703/jhi.v6i1.55>.
- [23] T. R. Syahputra and E. A. Rahma, “Karakteristik Pasang Surut Air Laut di Peairan Belawan Menggunakan Metode Admiralty Characteristics of Sea Water Tide in Belawan Waters Using Admiralty Method,” vol. 5, no. 1, 2023, doi: [10.35308/jlik.v5i1.5914](https://doi.org/10.35308/jlik.v5i1.5914).
- [24] Khairunnisa, D. Apdillah, and R. D. Putra, “Karakteristik Pasang Surut di Perairan Pulau Bintan Bagian Timur menggunakan Metode Admiralty,” *J. Kelaut.*, vol. 14, no. 1, pp. 58–70, 2021, doi: <http://doi.org/10.21107/jk.v14i1.9928>.
- [25] P. Knight, C. Bird, A. Sinclair, J. Higham, and A. Plater, “Testing an ‘IoT’ Tide Gauge Network for Coastal Monitoring,” *IoT*, vol. 2, no. 1, pp. 17–32, 2021, doi: <https://doi.org/10.3390/iot2010002>.
- [26] Diharyo *et al.*, *Mekanika Fluida*. Lingkar Edukasi Indonesia, 2025.
- [27] K. Bennett, A. Ilvonen, and A. Bennett, “Extended Deployment of an Automated Coastal Environment Monitoring System,” in *OCEANS 2022*, Hampton Roads, VA, USA: IEEE, 2022, pp. 1–9. doi: <https://doi.org/10.1109/OCEANS47191.2022.9977108>.
- [28] M. Fathurahman and M. Rifaldi, “Implementasi Mode Deep Sleep pada Sistem Pendeteksi Asap Rokok Berbasis LoRa di Pesantren,” vol. 5, pp. 273–280, 2024.
- [29] T. N. Arifin, A. K. Yapie, and S. Ilman, “UVTron sebagai Sensor Pendeteksi Api,” *J. Tera*, vol. 1, no. 1, pp. 98–108, 2021, doi: <https://doi.org/10.59832/jt.v1i1.23>.
- [30] H. A. M. U. Sagala, R. P. Pasaribu, and F. K. Ulya, “Pemodelan Pasang Surut dengan menggunakan Metode Flexible Mesh untuk Mengetahui Genangan Rob di Pesisir Karawang,” *J. IPTEK Terap. Perikan. dan Kelaut.*, vol. 2, no. 3, pp. 141–156, 2021, doi: <https://doi.org/10.15578/plgc.v2i3.10341>.
- [31] M. A. Rumapea, M. P. Suhana, and R. D. Putra, “Tipe dan Pola Pasang Surut pada Perairan di Sekitar Kawasan Reklamasi Kota Tanjungpinang,” *J. Kelaut.*, vol. 17, no. 2, pp. 178–186, 2024, doi: <http://doi.org/10.21107/jk.v17i2.18218>.
- [32] A. Dinaryoko, A. Zakaria, and S. Tugiono, “Analisis Perbandingan Data Pasang Surut Terukur dengan Data Pasang Surut Hasil Peramalan (Studi Kasus Stasiun Pasut Tanjung Priok),” *J. Rekayasa Sipil dan Desain*, vol. 9, no. 1, pp. 131–142, 2021, [Online]. Available:

<https://media.neliti.com/media/publications/485143-comparative-analysis-of-measured-tidal-d-4373e43a.pdf>

- [33] R. W. W. Setyowati and N. Z. W., “Analisis Tipe Pasang Surut menggunakan Metode Admiralty (Studi Kasus: Perairan Sorong, Papua Barat),” *J. Hidrogr. Indones.*, vol. 06, no. 01, pp. 15–22, 2024, doi: <https://doi.org/10.62703/jhi.v6i1.58>.
- [34] I. H. Pratama and D. Supriyatna, “Percobaan Sederhana Tekanan Hidrostatik,” *Kohesi J. Multidisiplin Saintek*, vol. 3, no. 1, pp. 91–98, 2024, [Online]. Available: <https://garuda.kemdiktisaintek.go.id/documents/detail/4327839>
- [35] M. Zhang, Q. Sun, X. Bai, B. Yang, W. Zhao, and C. Wu, “Calibration of Marine Pressure Sensors with a Combination of Temperature and Pressure : A Case Study of SBE 37-SM,” *J. Mar. Sci. Eng.*, vol. 12, no. 12, pp. 1–18, 2024, doi: [org/10.3390/jmse12122366](https://doi.org/10.3390/jmse12122366).
- [36] S. P. A. Nugraha, L. Sunuharjo, and M. Atiq, “Komunikasi Arduino I2C, SPI dan UART,” *J. Sains dan Teknol. Inf.*, vol. 2, no. 1, pp. 39–44, 2024, doi: <https://doi.org/10.62951/switch.v2i5.187>.
- [37] A. Sumaedi and A. Hadriani, *Teknologi Otomatisasi Sistem Kontrol Base on Mikrokontroler*. Padang: GEMILANG PRESS INDONESIA, 2024.
- [38] R. Kamal and L. David, “Embedded Systems : Architecture, Programming, and Design,” *Cosm. J. Phys.*, vol. 02, no. 01, pp. 59–81, 2023, doi: [10.13140/RG.2.2.20009.36961](https://doi.org/10.13140/RG.2.2.20009.36961).
- [39] M. Babiuch, P. Foltyniek, and P. Smutny, “Using the ESP32 Microcontroller for Data Processing,” *2019 20th Int. Carpathian Control Conf.*, pp. 1–6, 2019, doi: [10.1109/CarpathianCC.2019.8765944](https://doi.org/10.1109/CarpathianCC.2019.8765944).
- [40] A. Maier, A. Sharp, and Y. Vagapov, “Comparative Analysis and Practical Implementation of the ESP32 Microcontroller Module for the Internet of Things,” *Internet Technol. Appl.*, pp. 143–148, 2017, doi: [10.1109/ITECHA.2017.8101926](https://doi.org/10.1109/ITECHA.2017.8101926).
- [41] Espressif System (Shanghai), “ESP32 Series,” 2019. [Online]. Available: <https://www.alldatasheet.com/>
- [42] S. O. P. Prameswari, N. Rinanto, Z. M. A. Putra, D. S. A. Pambudi, and R. Y. Adhitya, “Analisis Quality Of Serviceintegrasi Mqtt-Lora dengan Hambatan untuk Monitoring Autonomous Underwater Vehicle,” *J. Inov. Glob.*, vol. 2, no. 8, pp. 1168–1181, 2024, doi: <https://doi.org/10.58344/jig.v2i8.146>.
- [43] J. F. Martinez-osuna, V. Piermattei, G. Coppini, and M. Marcelli, “Low-Cost

Water Level Measurement Technologies for Assessing the Impact of Climate Change and Storm Surges in Coastal Areas, Suitable for Citizen Science Initiatives,” *Front. Mar. Sci.*, vol. 12, pp. 1–16, 2025, doi: 10.3389/fmars.2025.1604069.

- [44] joy-it, “KY-024 Linear Magnetic Hall Sensor,” 2021. [Online]. Available: <https://www.alldatasheet.com/>
- [45] W. S. J. Saputra, F. Muttaqin, and Indrianti, “Pemantauan Suhu Air pada Sistem Tanaman Hidroponik menggunakan Sensor DS18B20 Waterproof,” *J. Electr. Eng. Technol.*, vol. 2, no. 2, pp. 60–64, 2021, doi: <https://doi.org/10.48056/jeetech.v2i2.165>.
- [46] Dallas Semiconductor, “DS18B20 Programmable Resolution 1-Wire Digital Thermometer.” [Online]. Available: <https://www.alldatasheet.com/>
- [47] T. Darmana and T. Koerniawan, “Perancangan Rangkaian Penguat Daya dengan Transistor,” *J. Sutet*, vol. 7, no. 2, pp. 88–92, 2017, [Online]. Available: <https://media.neliti.com/media/publications/269619-perancangan-rangkaian-penguat-daya-denga-bf8f1cfc.pdf>
- [48] Wing Shing Computer Components, “S8550 Transistor (PNP).” [Online]. Available: <https://www.alldatasheet.com/>
- [49] D. P. A. R. Hakim, A. Budijanto, and B. Widjanarko, “Sistem Monitoring Penggunaan Air PDAM pada Rumah Tangga menggunakan Mikrokontroler NodeMCU Berbasis Smartphone Android,” *J. Iptek*, vol. 22, no. 2, pp. 9–18, 2018, doi: 10.31284/j.iptek.2018.v22i2.259.
- [50] Dallas Semiconductor, “Extremely Accurate I2C-Integrated RTC/TCXO/Crystal.” [Online]. Available: <https://www.alldatasheet.com/>
- [51] M. M. Surur, M. S. Fahrizal, D. Andhika, and P. Pradana, “Sistem Otomatisasi Pompa Air Berbasis Arduino Uno Dengan Kontrol Waktu Menggunakan Sensor Rtc Ds3231,” vol. 02, pp. 77–84, 2025, doi: [org/10.70134/identik.v2i4.583](https://doi.org/10.70134/identik.v2i4.583).
- [52] M. B. Satheesh, B. Senthilkumar, T. Veeramanikandasamy, and O.M.Saravanakumar, “Microcontroller and SD Card Based Standalone Data Logging System using SPI and I2C Protocols for Industrial Application,” *Int. J. Adv. Res. Electr. Electron. Instrum. Eng.*, vol. 5, no. 4, pp. 2208–2214, 2016, doi: 10.15662/IJAREEIE.2016.0504002.
- [53] X. Fang and B. Lu, “Design of Data Acquisition Terminal Based on the FAT32 File System,” *J. Phys. Conf. Ser.*, vol. 2477, no. 1, pp. 1–6, 2023, doi: 10.1088/1742-6596/2477/1/012065.

- [54] Sunrom, "Micro SD Card Interfacing Module." [Online]. Available: <https://tinyurl.com/55vm2fce>
- [55] Y. D. Handari, Soeprapto, and R. N. Hasanah, "Rancang Bangun Lampu Bohlam DC menggunakan LED untuk Sistem Rumah DC," *J. Mhs. Tek. Elektro Univ. Brawijaya*, vol. 2, no. 2, pp. 1–6, 2014, [Online]. Available: <https://www.neliti.com/publications/117855/rancang-bangun-lampu-bohlam-dc-menggunakan-led-untuk-sistem-rumah-dc#cite>
- [56] Everlight, "333 Series (T-1 3/4)." [Online]. Available: <https://www.alldatasheet.com/>
- [57] Y. N. Hilal, P. Muliandhi, and E. N. Ardina, "Analisa Balancing Bms (Battery Management System) Pada Pengisian Baterai Lithium-Ion Tipe Inr 18650 Dengan Metode Cut Off," *Simetris J. Tek. Mesin, Elektro dan Ilmu Komput.*, vol. 14, no. 2, pp. 367–374, 2023, doi: 10.24176/simet.v14i2.9852.
- [58] A. R. Wiguna, T. Toha, N. Nadhiroh, S. L. Kusumastuti, and M. Dwiyaniti, "Rancang Bangun dan Pengujian Battery Pack Lithium Ion," *J. Otomasi Kelistrikan dan Energi Terbarukan*, vol. 3, no. 1, pp. 28–33, 2021, doi: [org/10.32722/ees.v3i1.4030](https://doi.org/10.32722/ees.v3i1.4030).
- [59] L. Shenzhen Pkcell Battery Co., "Li-ion Battery Technology Specification." [Online]. Available: <https://tinyurl.com/5xwfy9k6>
- [60] D. A. P. Sari and Sumadi, "Analisis Kelayakan Pengembangan Usaha Kalibrasi PT. Indraloka Kabupaten Sukoharjo," *Semin. Nas. Pariwisata dan Kewirausahaan*, vol. 2, no. Mei, pp. 209–216, 2023, doi: <https://doi.org/10.36441/snpk.vol2.2023.119>.
- [61] OpenStax, "11.6: Gauge Pressure, Absolute Pressure, and Pressure Measurement," LibreTexts Physics.
- [62] Y. Margaretha, P. Almaida, S. Nurholipah, I. Oktaviani, and A. Saefullah, "Pengembangan LKPD Interaktif pada Materi Tekanan Hidrostatik menggunakan Media Liveworksheet," *J. Lumin. Ris. Ilm. Pendidik. Fis.*, vol. 1, no. 1, pp. 17–25, 2022, doi: <https://doi.org/10.31851/luminous.v3i1.6713>.
- [63] V. Arinal and M. Azhari, "Penerapan Regresi Linear untuk Prediksi Harga Beras di Indonesia," *J. Sains dan Teknol.*, vol. 5, no. 1, pp. 341–346, 2023, doi: <https://doi.org/10.55338/saintek.v5i1.1417>.
- [64] N. Syakrani and N. A. S. R, "Konsistensi Model Regresi Empat Variabel pada Populasi dan Sampel untuk Prediksi Temperatur," *J. Appl. Comput. Sci. Technol.*, vol. 6, no. 1, pp. 9–16, 2025, doi: <https://doi.org/10.52158/jacost.v6i1.971>.

- [65] D. Y. Kusuma, N. B. Permatasari, R. R. Pebriani, and I. Hudati, "Sensor Ultrasonik Waterproof A0YYUW Berbasis Arduino Uno pada Sistem Pengukuran Jarak," *J. List. Instrumentasi dan Elektron. Terap.*, vol. 2, no. 2, pp. 14–19, 2021, doi: <https://doi.org/10.22146/juliet.v2i2.71146>.
- [66] N. R. Mahardika, I. Nirmala, and K. Sari, "Implementasi mekanisme sleep-wake pada sistem pendeteksi kebocoran gas LPG," *JITEL (Jurnal Ilm. Telekomun. Elektron. dan List. Tenaga)*, vol. 5, no. 3, pp. 221–232, 2025, doi: <https://doi.org/10.35313/jitel.v5.i3.2025.221-232>.
- [67] D. Muhammad and J. Sardi, "Rancang Bangun Sistem Monitoring Penggunaan Daya Listrik Rumah Tangga Berbasis Internet of Things (IOT)," *J. Tek. Elektro Indones.*, vol. 3, no. 2, pp. 458–475, 2022, doi: <https://doi.org/10.24036/jtein.v3i2.274>.
- [68] M. Irsyam, M. Alagusri, and L. P. Marpaung, "Analisa Rugi-Rugi Daya (Losses Power) pada Jaringan Tegangan Rendah PT. Musimmas Batam," *Sigma Tek.*, vol. 6, no. 1, pp. 109–119, 2023, doi: <https://doi.org/10.33373/sigmateknika.v6i1.5117>.
- [69] M. R. D. Prihantoro and G. Firasanto, "Perancangan Sistem Keamanan Rumah dengan Fingerpint yang Dilengkapi dengan Kapasitas Baterai 6,8 mAh," *J. Inform. dan Tek. Elektro Terap.*, vol. 14, no. 1, pp. 1439–1450, 2026, doi: <http://dx.doi.org/10.23960/jitet.v14i1.8596>.
- [70] M. H. S. Alajuri, H. A. Kusuma, T. Suhendra, and D. E. D. Setyono, "Comparison Tidal Harmonic Based on IoT Instrument Using The Admiralty Method in Tanjungpinang Waters," *J. Appl. Geospatial Inf.*, vol. 8, no. 2, pp. 140–145, 2024, doi: <https://doi.org/10.30871/jagi.v8i2.9042>.
- [71] S. Refly and H. A. Kusuma, "Analisis Konsumsi dan Fluktuasi Arus dan Daya pada Mikrokontroler menggunakan Sensor INA219," *J. Sustain. J. Has. Penelit. dan Ind. Terap.*, vol. 11, no. 01, pp. 44–48, 2022, doi: <https://doi.org/10.31629/sustainable.v11i1.4610>.
- [72] Holtek, "HT78xx Series 500mA TinyPower LDO," 2014. [Online]. Available: <https://www.scribd.com/document/947752306/holtek-semicon-ht7833>
- [73] M. A. Akbar, "Rancang Bangun Instrumen Pengukur Tinggi Muka Air Laut menggunakan Sensor Tekanan MS5803-14BA memanfaatkan Komunikasi GSM," Universitas Maritim Raja Ali Haji, 2022.
- [74] R. Pawlowicz, B. Beardsley, and S. Lentz, "Classical Tidal Harmonic Analysis Including Error Estimates in MATLAB using T_TIDE," *Comput. Geosci.*, vol. 28, no. 8, pp. 929–937, 2002, doi: [https://doi.org/10.1016/S0098-3004\(02\)00013-4](https://doi.org/10.1016/S0098-3004(02)00013-4).

- [75] Badan Standardisasi Nasional, *Pengamatan Pasang Surut*. 2014. [Online]. Available: <https://www.scribd.com/document/372115566/Pengamatan-Pasang-Surut-SNI-7963-2014>
- [76] A. H. Khoirunnisa, K. S. Nurdila, I. A. Putra, and R. Perdana, "Pengaruh Variasi Tegangan Listrik terhadap Besarnya Energi yang dilepaskan dan Kesetaraan Kalor Listrik dalam Kalorimeter," *J. Ilmu Fis. dan Teknol.*, vol. 9, no. 2, pp. 49–54, 2025, [Online]. Available: <https://jurnal.uinsu.ac.id/index.php/fisitek/article/view/24542>
- [77] H. P. Dehi, N. A. Latibu, A. Ismuhu, and S. F. Kobandaha, "Simulasi Efek Rumah Kaca Sederhana: Analisis Perbandingan Suhu pada Sistem Terbuka dan Tertutup," *J. Sustain. Dev. Goals*, vol. 4, no. 2, pp. 54–60, 2025, [Online]. Available: <https://ejurnal.ung.ac.id/index.php/buletin/article/view/36243>

