

DAFTAR PUSTAKA

- A. and Rios, A. 2006. Dietary Fiber, Amino Acid, Fatty Acid and Tocopherol Contents of the Edible Seaweeds *Ulva lactuca* and *Durvillaea antarctica*. *Foodchemistry*, 99(1):98–104. DOI: 10.1016/j.foodchem.2005.07.027
- Aguilera, J., Bischof, K., Karsten, U., Hanelt, D. & Wiencke, C. 2002. Seasonal Variation in Ecophysiological Patterns in Macroalgae from an Arctic Fjord. II. Biopigment Accumulation and Biochemical Defence Systems Against High Light Stress. *Marine Biology*, 140:1087-1095.
- Bixler, H.J. & Porse, H. 2011. A Decade of Change in the Seaweed Hydrocolloids Industry. *Journal of Applied Phycology*, 23(3):321–335.
- Dawes, C. J. (1998). *Marine Botany*. John Wiley & Sons.
- Diharmi, A. & Irasari, N. 2020. Characteristic of Carrageenan *Eucheuma cottonii* Collected from the Coast of Tanjung Medang Village and Jaga Island, Riau. *IOP conference Series : Earth and Environmental Science*. 404:012049.
- Gudrun, K. & Wincke, C. 2005. Photosynthesis, Photosynthetic Biopigment and Mycosporine-Like Aminoacids After Exposure of the Marine Red Alga *Chondrus crispus* (Gigartinales, Rhodophyta) to Different Light Qualities. *Phycologia*, 44(1):95-102
- Harsono, A., & Yulianti, D. (2016). Characterization of Polysaccharides from Seaweeds. *Journal of Food Science*, 11(3), 67-74.
- Holdt S.L., & Kraan, S. 2011. Bioactive Compounds in Seaweed: Functional Food Applications and Legislation. *Journal of Applied Phycology*, 23(3):543-97. DOI: [10.1007/s10811-010-9632-5](https://doi.org/10.1007/s10811-010-9632-5)
- Indriatmoko, H., Limantara, L. & Brotosudarmo, T.P., 2015. Composition of Photosynthetic
- Kumar, V. & Kaladharan, P. 2007. Amino Acids in the Seaweeds as an Alternate Source of Protein for Animal Feed. *Journal of the Marine Biological Association of India*, 49(1):35–40.
- Lee, R.E. 2008. *Phycology*. Fourth Edition. Cambridge University Press. <http://www.cambridge.org/97805621864084>. Diakses pada tanggal 21 Februari 2020.
- Lumbessy, S.Y., Andayani, S., Nursyam, H. & Firdaus, M. 2019. Biochemical Study of Amino Acid Profile of *Kappaphycus Alvarezii* and *Gracilaria Salicornia* Seaweeds from Gerupuk Waters, West Nusa Tenggara (NTB). *EurAsian Journal of Biosciences*, 13:303-307.

- Madhavarani, A & Ramanibai, R. 2014. In-vitro Antibacterial Activity of *Kappaphycus Alvarezii* Extracts Collected from Mandapam Coast, Rameswaram, Tamil Nadu. *International Journal of Innovative Research in science, Engineering and Techhnology*, 3(1):2319–8753.
- McHugh, D. J. (2003). A Guide to the Seaweed Industry. FAO Fisheries Technical Paper.
- Merdekawati, W. & Susanto, A.B. 2009. Kandungan dan Komposisi Biopigmen Rumput Laut serta Potensinya untuk Kesehatan. *Squalen*, 4(2):41–47.
- Naguit, M.R.A. & Tisera, W.L. 2009. Biopigment Analysis on *Eucheuma denticulatum* (Collins & Hervey) and *Kappaphycus Alvarezii* (doty) Cultivars Cultured at Different Depths. *Threshold*, 4:29–37.
- Nugroho, A., & Dewi, L. (2018). Pemanfaatan Sumber Daya Laut untuk Pengembangan Industri Berkelanjutan. *Indonesian Journal of Maritime Studies*, 13(1), 11-27.
- Nurjanah, N.M., Anwar, E., Luthfiyana, N. & Hidayat, T., 2017. Identification of Bioactive Compounds of Seaweed *Sargassum* sp. and *Eucheuma cottonii* doty as a Raw Sunscreen Cream. *Proceedings of The Pakistan Academy of Sciences : B. Life and Evironmental Sciences*.54(4):311–318.
- Ortiz, J., Romero, N., Robert, P., Araya, J., Lopez-Hernández, J., Bozzo, C., Navarrete, E., Osorio, Biopigments in A Red Alga *Kappaphycus alvarezii* Cultivated in Different Depths. *Procedia Chemistry*, 14:193–201.
- Prasedya, E. S., & Wijayanti, A. (2020). The Role of Seaweed Biopigments in Human Health. *Health and Nutrition Journal*, 10(1), 78-89.
- Putri, R. E., & Santoso, H. (2017). Potensi Rumput Laut Indonesia sebagai Sumber Bahan Baku Industri. *Marine Resource Journal*, 14(4), 202-210.
- Reeta, J. & Kulandaivelu, G. 2000. Effect of Light Intensity on the Saturation of Photosynthesisin.
- Sarojini Y.K., and Narayanan, L. 2009. Influence of Environmental Factors on Variationsin Distribution of Photosynthetic Biopigments of Macro Algae. *Algal Biomass Resources and Utilization*:157-163.
- Schmidt, E.C., Nunes, B.G., Maraschin, M. & Bouzon, Z.L. 2010. Effect of Ultraviolet-B Radiation on Growth, Photosynthetic Biopigment, and Cell Biology of *Kappaphycus Alvarezii* (Rhodophyta, Gigartinales) Macroalgae Brown Strain. *Photosynthetica*, 48(2):161-172.
- Siddique M.A.M., Khan, M.S.K. & Bhuiyan, M.K.A. 2013. Nutritional Composition and Amino Acid Profile of a Sub-Tropical Red Seaweed *Gelidium pusillum* Collected from St. Martin's Island, Bangladesh.

International Food Research Journal, 20(5): 2287-92. [DOI:10.3153/jfscom.2013018](https://doi.org/10.3153/jfscom.2013018)

- Smith, A., & Brown, J. (2018). Marine Algae: Biodiversity and Ecological Function. *Journal of Marine Science*, 22(3), 45-59.
- Vanitha, A. & Chandra, S. 2012. Studies on Photosynthetic Biopigments of Some RedAlgae of Covelong, Chennai (India). *International Journal of CurrentScience*, p149-154.
- Wibowo, S., & Handayani, R. (2019). Budidaya Rumput Laut di Indonesia: Potensi dan Tantangan. *Agricultural Journal of Indonesia*, 15(2), 123-136.
- Wijaya, Y. (2021). Ekstraksi Biopigmen dari Alga Merah: Metode dan Aplikasi. *Biotech Journal*, 18(2), 34-45.
- Winarno, F. G., & Diah, A. (2007). Teknologi Pengolahan Rumput Laut. Penerbit Kanisius.
- Xiren G.K, & Aminah, A. 2017. Proximate Composition and Total Amino Acid Composition of *Kappaphycus Alvarezii* Found in the Waters of Langkawi and Sabah, Malaysia. *International Food Research Journal*, 24(3):1255-60.

