

DAFTAR PUSTAKA

- Aboud, S. A., & Kannah, J. F. (2017). Abundance, distribution and diversity of seagrass species in lagoonal reefs on the Kenyan coast. *American Academic Scientific Research Journal for Engineering, Technology, and Sciences*, 37(1), 52-67.
<https://d1wqtxts1xzle7.cloudfront.net/85141571/1283>
- Adi W, Nugraha A H, Dasmaseela Y H, Ramli A, Sondak C F A, Sjafride N D M. (2019). Struktur komunitas lamun di Malang Rapat, Bintan. *Jurnal Enggano*. 4(2): 148-159.
<https://doi.org/10.31186/jenggano.4.2.148-159>
- Akbar, K., Pratomo, D.G., Khomsin. (2017). Analisis nilai hambur balik sedimen permukaan dasar perairan menggunakan data multibeam echosounder EM302. *Jurnal Teknik ITS*. 6(2): 154-157.
<https://doi.org/10.12962/j23373539.v6i2.24415>
- Amri, K., Mashoreng, S., Priosambodo, D., Nurdin, N., & Lanuru, M. (2021, October). Impact of water turbidity to Seagrass (*Enhalus acoroides*) morphology. In *IOP Conference Series: Earth and Environmental Science* (Vol. 860, No. 1, p. 012020). IOP Publishing.
<https://doi.org/10.1088/1755-1315/860/1/012020>
- Anderson JT, Holliday DV, Kloser R, Reid DG, Simard Y. (2008). Acoustic seabed classification: current practice and future directions. *ICES. Journal of Marine Science*. 65: 1004-1011.
<https://doi.org/10.1093/icesjms/fsn061>
- Andika, Y., Kawaroe, M., Effendi, H., & Zamani, N. P. (2020). Pengaruh kondisi pH terhadap respons fisiologis daun lamun jenis *Cymodocea rotundata*. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 12(2), 485-493.
<http://doi.org/10.29244/jitkt.v12i2.66565>
- Artika, S. R., Ambo-Rappe, R., Teichberg, M., Moreira-Saporiti, A., & Viana, I. G. (2020). Morphological and physiological responses of *Enhalus acoroides* seedlings under varying temperature and nutrient treatment. *Frontiers in Marine Science*, 7, 325.
<https://doi.org/10.3389/fmars.2020.00325>
- Banjarnahor, N., Samiaji, J., & Nasution, S. (2021). Effect of Sediment Particle Sizes on the Density and Morphometrics of Seagrass *Enhalus acoroides* Leaves at Pandaratan Beach Tapanuli Tengah. *Journal of Coastal and Ocean Sciences*, 2(1), 53-60.
<https://doi.org/10.31258/jocos.2.1.53-60>
- Brown, C. J., Sameoto, J. A., & Smith, S.J. (2012). Multiple, maps, and management applications: Purpose made seafloor maps in support of ocean management. *Journal of Sea Research*, 72, 1-13.
<https://doi.org/10.1016/j.seares.2012.04.009>
- Do Amaral Camara Lima, M., Bergamo, T.F., Ward, R.D. *et al.* A review of seagrass ecosystem services: providing nature-based solutions for a changing world. *Hydrobiologia* 850, 2655–2670 (2023).
<https://doi.org/10.1007/s10750-023-05244-0>
- Duarte CM. (2010). (Eds.), Seagrasses: Biology, Ecology, and Conservation. Springer, The Netherlands, 503-536pp.

- Fahrudin, A., Sani, A., & Sani, A. (2017). Struktur Komunitas Lamun di Perairan Pulau Barranglompo, Kota Makassar. *Jurnal Ilmu Alam dan Lingkungan*, 8(1), 1-10
- Gozali, I. (2011). Aplikasi Analisis Multivariat dengan Problem IBM SPSS 19. Semarang: Diponegoro University Publisher.
- Hamuna, B., Pujiyati, S., Hestirianoto, T. (2014). Karakterisasi Pantulan Akustik Karang Menggunakan *Echosounder Single Beam*. *Jurnal Integrasi*. 6(2): 129-133.
<https://jurnal.polibatam.ac.id/index.php/JI/article/view/118/109>
- Hamuna, B., Dimara, L., Pujiyati, S., & Natih, N. M. N. (2018). Hambur Balik Akustik Permukaan Substrat Dasar Perairan Menggunakan Echosonder Bim Tunggal. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 11(1), 31-37.
<https://doi.org/10.21107/jk.v11i1.2892>
- Hartono, W., Diantari, R., & Maharani, H. W. (2021). Ecological Conditions of *Enhalus acoroides* (Linnaeus f.) Royle, 1839 and The Influencing Factors at Sari Ringgung Beach, Pesawaran District, Lampung. *AQUASAINS*, 10(1), 995-1004.
<https://doi.org/10.23960/aqs.v10i1.p995-1004>
- Harum, C. B., Sondak, C. F., Kaligis, E. Y., Tilaar, S. O., Gerung, G. S., & Rembet, U. N. W. J. (2023). Studi Morfometrik *Thalassia hemprichii* dan *Enhalus acoroides* Perairan Sekitar di Desa Wori Kecamatan Wori Kabupaten Minahasa Utara. *Jurnal Pesisir dan Laut Tropis*, 11(1), 118-125.
- Hemminga, M. A., & Duarte, C. M (2000). *Seagrass ecology*. Cambridge University Press.
- Indriani, A'an J. Wahyudi, & Defri Yona. (2026). Cadangan Karbon di Area Padang Lamun Pesisir Pulau Bintan, Kepulauan Riau. *OLDI (Oseanologi Dan Limnologi Di Indonesia)*, 2(3), 1–11.
<https://doi.org/10.14203/oldi.2017.v2i3.99>
- Jackson, D., & Richardson, M. (2007). *High-frequency seafloor acoustics*. Springer Science & Business Media, 76-89.
<https://doi.org/10.1007/978-0-387-36945-7>
- Juraj. (2016). *Hubungan Fungsional Sebaran Jenis Lamun Dengan Kemunculan Dugong dugon di Pulau Bintan (Desa Pengudang dan Desa Busung) Kepulauan Riau*. [Skripsi]. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.
- Juwita R. (2021). Hambur Balik Lmun (*Enhalus acoroides*) Berdasarkan Grazing Angle Menggunakan SIMRAD EK 15 Di Perairan Teluk Bakau. [tesis]. Bogor (ID):Institut Pertanian Bogor.
<https://repository.ipb.ac.id/handle/123456789/108734>.
- Kinne, O. (1964). The effects of temperature and salinity on marine and brackish water animals: 2. Salinity and temperature-salinity combinations. *Oceanography and marine biology: an annual Review*, 2:281-339.
<https://jurnal.fkip.unram.ac.id/index.php/JBT/article/view/217>.
- Kloser, R. J., Penrose, J. D., & Butler, A. J. (2010). Multi-beam backscatter measurements used to infer seabed habitats. *Continental Shelf Research*, 30(16), 1772–1782.

- <https://doi.org/10.1016/j.csr.2010.08.007>
- Komatsu, T., Igarashi, C., Tatsukawa, K., Sultana, S., Matsuoka, Y., & Harada, S. (2003). Use of multi-beam sonar to map seagrass beds in Otsuchi Bay on the Sanriku Coast of Japan. *Aquatic Living Resources*, 16(3), 223-230. [https://doi.org/10.1016/S0990-7440\(03\)00045-7](https://doi.org/10.1016/S0990-7440(03)00045-7)
- Larkum, A. W., Orth, R. J., Duarte, C. M., Kuo, J., & Hartog, C. D. (2006). Seagrass morphology, anatomy, and ultrastructure. *Seagrasses: biology, ecology and conservation*, 51-87. https://link.springer.com/chapter/10.1007/978-1-4020-2983-7_3
- Lee, K. M., Ballard, M. S., McNeese, A. R., & Wilson, P. S. (2017). Sound speed and attenuation measurements within a seagrass meadow from the water column into the seabed. *The Journal of the Acoustical Society of America*, 141(4), EL402-EL406. <https://doi.org/10.1121/1.4979302>
- Lee, K.S., S.R. Park. and Y.K. Kim. (2007). Effect of irradiance, temperature, and nutrients on growth dynamics of seagrasses: A Review. *J. of Experimental marine Biology and Ecology*, (350):144-175. <http://dx.doi.org/10.1016/j.jembe.2007.06.016>
- Ma'mun, A., Manik, H.M. & Hestirianoto, T. (2013). Rancang Bangun Algoritma dan Aplikasinya pada Akustik Single Beam untuk Pendeteksian Bawah Air. *Jurnal Teknologi Perikanan dan Kelautan*. 4(2), 173-183. <http://dx.doi.org/10.24319/jtpk.4.173-183>
- MacLannan, D.N & Simmonds, E.J. (2005). *Fisheries Acoustics*. London. Chapman Hall. 429 Halaman.
- Manik, H. M., & Ma'mun, A. (2009). Rancang Bangun Sistem Informasi Data Hidroakustik Berbasis Web. In *Seminar Nasional Aplikasi Teknologi Informasi (SNATI)*. <https://journal.uui.ac.id/Snati/article/download/1540/1318/1377>
- Manik, H., Furusawa, M., Amakasu, K. (2006). Measurement of sea bottom surface backscattering strength by quantitative echosounder. *Fisheries Science*. 72: 503–512. <https://doi.org/10.1111/j.1444-2906.1006.01178>
- Manik, H.M. (2012). Seabed identification and characterization using sonar. *Advances in acoustics and vibration*. Hindawi Publishing Corporation. 1(2): 5 <https://doi.org/10.1155/2012/532458>
- Manik, H.M. (2014). Teknologi akustik bawah air: solusi data perikanan laut Indonesia. *Risalah Kebijakan Pertanian dan Lingkungan*. 1(3): 181-186. <http://orcid.org/0000-0002-4418-5815>
- Manik HM. (2015). Acoustic characterization of fish and seabed using underwater acoustic technology in Seribu Island Indonesia. *J. Marine Sci Res Dev*. 5:15.
- Mariani, P., Quincoces, I., Haugholt, K. H., Chardard, Y., Visser, A. W., Yates, C., ... & Thielemann, J. T. (2018). Range-gated imaging system for underwater monitoring in ocean environment. *Sustainability*, 11(1), 162. <https://doi.org/10.3390/su11010162>
- Medwin, H., & Clay, C. S. (1998). *Fundamentals of acoustical oceanography*. Academic Press.

- <https://doi.org/10.1016/B978-0-12-487570-8.X5000-4>
- Mutlu, E., & Olguner, C. (2023). Acoustic scattering properties of a seagrass, *Cymodocea nodosa*: in-situ measurements. *Botanica Marina*, 66(6), 491-505.
<https://doi.org/10.1515/bot-2022-0083>
- Ningtyas A. (2014). Nilai hambur balik lamun *Enhalus acoroides* di perairan pulau panggang. [Skripsi]. Bogor (ID):Institut Pertanian Bogor.
<https://adoc.pub/nilai-hambur-balik-lamun-enhalus-acoroides-di-perairan-pulau.html>.
- Nontji, A. (2002). Laut Nusantara, Cet. 3. Djambatan. Jakarta.
https://books.google.co.id/books/about/Laut_Nusantara.html?id=9govPwAACAAJ&redir_esc=y.
- Nugraha, A. H., Ramadhani, P., Karlina, I., Susiana, S., & Febrianto, T. (2021). Sebaran jenis dan tutupan lamun di perairan pulau Bintan. *Jurnal Enggano*, 6(2), 323-332.
<https://doi.org/10.31186/jenggano.6.2.323-332>.
- Nybakken JW. (1992). Biologi Laut Suatu Pendekatan Ekologis. Penerbit PT. Gramedia. Jakarta.
- Patty, S.I. & Akbar, N. (2018). Kondisi Suhu, Salinitas, pH dan Oksigen Terlarut di Perairan Terumbu Karang Ternate, Tidore dan Sekitarnya. *Jurnal Ilmu Kelautan Kepulauan* 1(2):1-10.
<https://doi.org/10.33387/jikk.v1i2.891>.
- Permata Pohan Aulia., Ma'mun, A., & Febrianto, T. (2025). *Hubungan Backscattering Strength Terhadap Tingkat Tutupan Lamun Enhalus Acoroides di Perairan Pulau Kelong Bintan Timur*. S1 [Tesis], Universitas Maritim Raja Ali Haji.
<http://repositori.umrah.ac.id/id/eprint/8919>
- Pradhana, A., et al., (2023). Identifikasi Tutupan dan Kondisi Perairan pada Ekosistem Lamun di Pulau Tidung Kecil. *Jurnal Teknologi Perikanan dan Kelautan*.
<https://journal.ipb.ac.id/index.php/jtpk/article/view/44788>
- Preston, J. M, Rosenberger, A., & Collins, W. T. (2000). Bottom classification in very shallow water. In OCEANS 2000 MTS/IEEE Conference and Exhibition (pp. 1563-1567).
- Rahmawati, S., Irawan, A., Supriyadi, I. H., & Azkab, M. H. (2017). Panduan Monitoring Padang Lamun Edisi 2. COREMAP-CTI Lembaga Ilmu Pengetahuan Indonesia, Jakarta.
https://www.researchgate.net/publication/342435423_Panduan_Pemantauan_Penilaian_Kondisi_Padang_Lamun_Edisi_2
- Risandi, J., Rifai, H., Lukman, K. M., Sondak, C. F., Hernawan, U. E., Quevedo, J. M. D., ... & Nadaoka, K. (2023). Hydrodynamics across seagrass meadows and its impacts on Indonesian coastal ecosystems: A review. *Frontiers in Earth Science*, 11, 1034827.
<https://doi.org/10.3389/feart.2023.1034827>
- Rose-Weston, L., Brenan, J. M., Fei, Y., Secco, R. A., & Frost, D. J. (2009). Effect of pressure, temperature, and oxygen fugacity on the metal-silicate partitioning of Te, Se, and S: Implications for earth differentiation. *Geochimica et Cosmochimica Acta*, 73(15), 4598-4615.

- <https://doi.org/10.1016/j.gca.2009.04.028>
- Sabol, B. M., Eddie Melton, R., Chamberlain, R., Doering, P., & Haunert, K. (2002). Evaluation of a digital echo sounder system for detection of submersed aquatic vegetation. *Estuaries*, 25(1), 133-141.
<https://doi.org/10.1007/BF02696057>
- Septian, E. A., Azizah, D., & Apriadi, T. (2016). Tingkat Kerapatan Dan Penutupan Lamun Di Perairan Desa Sebondong Perek Kabupaten Bintan. [Skripsi], Fakultas Ilmu Kelautan dan Perikanan Universitas Maritim Raja Ali Haji, Kepulauan Riau.
- Short, F. T. (2003). *World atlas of seagrasses*. Univ of California Press.
- Short, F. T., & Neckles, H. A. (1999). The effects of global climate change on seagrasses. *Aquatic Botany*, 63(3-4), 169-196.
[https://doi.org/10.1016/S0304-3770\(98\)00117-X](https://doi.org/10.1016/S0304-3770(98)00117-X)
- Suraya, I. (2025). Nilai Hambur Balik Akustik Terhadap Tingkat Tutupan Lamun Dan Tinggi Kanopi Yang Berada Di Perairan Pulau Mantang, Kabupaten Bintan. *Akuatika Indonesia*, 10(2).
- Susana, T. (2005). Kualitas zat hara perairan Teluk Laba, Banten. *Oseanologi dan Limnologi di Indonesia*, 37:59-67.
- Susanti, D., Zen, L. W., & Lestari, F. (2015). Struktur Komunitas dan Valuasi Ekonomi Ekosistem Padang Lamun di Kawasan Konservasi Perairan Daerah Desa Pengudang Kecamatan Teluk Sebondong Kabupaten Bintan. *Fakultas Kelautan dan Perikanan, Universitas Maritim Raja Ali Haji*.
- Susetiono. (2004). *Fauna Padang Lamun Tanjung Merah Selat Lembe*. Pusat Penelitian Oseanografi-LIPI. Jakarta
- Stankovic, M., Ambo-Rappe, R., Carly, F., Dangan-Galon, F., Fortes, M.D., Hossain, M.S., Kiswara, W., Van Luong, C., Minh-Thu, P., Mishra, A.K., & Noiraksar, T., 2021. Quantification of Blue Carbon In Seagrass Ecosystems of Southeast Asia and Their Potential for Climate Change Mitigation. *Science of The Total Environment*, 783: 146858.
<https://doi.org/10.1016/j.scitotenv.2021.146858>
- Tangke, U. (2010). Ekosistem Padang Lamun Manfaat, Fungsi, dan Rehabilitasi. *Agribisnis dan perikanan*. 3 (1). 9-29.
<https://doi.org/10.29239/j.agrikan.3.1.9-29>
- Touchette, B. W., & Burkholder, J. M. (2000). Review of nitrogen and phosphorus metabolism in seagrasses. *Journal of Experimental Marine Biology and Ecology*, 250(1-2), 133-167.
[https://doi.org/10.1016/S0022-0981\(00\)00196-X](https://doi.org/10.1016/S0022-0981(00)00196-X)
- Waycott, M., McKenzie, L.J., Mellors, J.E., Ellison, J.C., Sheaves, M.T., Collier, C., & Schwarz, A.M. (2011). *Vulnerability of mangroves, seagrasses and intertidal flats in the tropical Pacific to climate change*. Apia, Samoa: Secretariat of the Pacific Regional Environment Programme (SPREP).Asia.
- dan Arifin, M. Z. (2017). Dampak Sampah Plastik Bagi Ekosistem Laut. *Jurnal ilmiah*. 14(1): 44-48
- Zachawerus, T., Kondoy, K. I., & Rangan, J. K. Morfometric Study Of Seagrass *Thalassia Hemprichii*, In Pasir Panjang Beach, Paputungan Village, West Likupang, Minahasa Utara. *Jurnal Ilmiah Platax*, 7(1), 178-185.
<https://doi.org/10.35800/jip.7.1.2019.22731>

Zhang, Y., Yu, X., Chen, Z., Wang, Q., Zuo, J., Yu, S., & Guo, R. (2023). A review of seagrass bed pollution. *Water*, 15(21), 3754.
<https://doi.org/10.3390/w15213754>

